












Products	Article	Price in Euro
SUPPORT PADS AND ACCESSORIES		
		
Levelling shim for support pedestals and pads - 2,5mm	240-900-150-003	0,26
		
Levelling shim for support pedestals and pads - 3mm	i65	0,25
		
Levelling shim for support pedestals and pads with sound absorption - 2,5mm	240-910-150-003	0,33
		
Stackable paving support pad - 10mm	i61	0,31
		
Stackable paving support pad - 12mm	240-100-150-012	0,55
		
Stackable paving support pad - 14mm	240-100-150-014	0,36
		
Stackable paving support pad - 15mm	i61.1	0,31
		
Stackable paving support pad - 17mm	240-100-150-017	0,40
		
Stackable paving support pad - 20mm	i63.1	0,74



Stackable paving support pad - 30mm	i64.1	0,93
-------------------------------------	-------	------



Rubber disc for timber decking	240-215-050-005	0,21
--------------------------------	-----------------	------



Rubber support pads wedges - 8-14mm	240-210-150-003	1,67
-------------------------------------	-----------------	------



Rubber disc for paving and timber decking - height 5mm	240-215-150-005	0,83
--	-----------------	------



Fixed height support pad with headpiece from megamart for paving - height 7mm and tabs 2,2x10mm	240-215-150-007-1	1,07
---	-------------------	------



Fixed height support pad with headpiece from megamart for paving - height 7mm and tabs 2,2x16mm	240-215-150-007-2	1,07
---	-------------------	------



Fixed height support pad with headpiece from megamart for paving - height 7mm and tabs 4x10mm	240-215-150-007-3	1,07
---	-------------------	------



Fixed height support pad with headpiece from megamart for paving - height 7mm and tabs 4x16mm	240-215-150-007-4	1,07
---	-------------------	------



Fixed height support pad with headpiece from megamart for paving - height 7mm and tabs 6x16mm	240-215-150-007-5	1,07
---	-------------------	------



Fixed height support pad with headpiece from megamart for paving - height 7mm and joist 60mm	240-215-150-007-8	1,07
--	-------------------	------



Fixed height support pad with headpiece from megamart for paving - height 7mm and joist 20-100mm	240-215-150-007-9	1,07
--	-------------------	------



Fixed height support pad 7mm with increased surface	240-250-250-007	0,90
---	-----------------	------



MICROMART - tabs 2,2 mm, height 10 mm		
10-15 mm	240-621-001-010	1,07
15-20 mm	240-621-001-015	1,43
20-25 mm	240-621-001-020	1,79



MICROMART - tabs 4 mm, height 10 mm		
10-15 mm	240-626-001-010	1,07
15-20 mm	240-626-001-015	1,43
20-25 mm	240-626-001-020	1,79



MICROMART - tabs 2,2 mm, height 16 mm		
10-15 mm	240-620-001-010	1,07
15-20 mm	240-620-001-015	1,43
20-25 mm	240-620-001-020	1,79



MICROMART - tabs 4 mm, height 16 mm		
10-15 mm	240-625-001-010	1,07
15-20 mm	240-625-001-015	1,43
20-25 mm	240-625-001-020	1,79



MICROMART - tabs 6 mm, height 16 mm		
10-15 mm	240-630-001-010	1,07
15-20 mm	240-630-001-015	1,43
20-25 mm	240-630-001-020	1,79




MICROMART TIMBER DECKING - joists 60 mm		
10-15 mm	240-650-001-010	1,07
15-20 mm	240-650-001-015	1,43
20-25 mm	240-650-001-020	1,79



MICROMART TIMBER DECKING - joists 65 mm

10-15 mm	240-655-001-010	1,07
15-20 mm	240-655-001-015	1,43
20-25 mm	240-655-001-020	1,79




MINIMART - tabs 2,2x10 mm

22-30 mm	240-621-001-022	2,83
28-37 mm	240-621-001-028	2,95



MINIMART - tabs 4x10 mm

22-30 mm	240-626-001-022	2,83
28-37 mm	240-626-001-028	2,95



MINIMART - tabs 2,2x16 mm

22-30 mm	240-620-001-022	2,83
28-37 mm	240-620-001-028	2,95



MINIMART - tabs 4x16 mm

22-30 mm	240-625-001-022	2,83
28-37 mm	240-625-001-028	2,95



MINIMART - tabs 6x16 mm

22-30 mm	240-630-001-022	2,83
28-37 mm	240-630-001-028	2,95



MINIMART - timber decking 60 mm

22-30 mm	240-650-001-022	2,83
28-37 mm	240-650-001-028	2,95



MINIMART - timber decking 90 mm

22-30 mm	240-655-001-022	2,83
28-37 mm	240-655-001-028	2,95



STANDARD - tabs 2.2x10 mm - with anti shock gum

25 mm	240-377-100-025	1,74
35 mm	240-377-100-035	1,74
35-50 mm	240-377-300-035	2,64
50-70 mm	240-377-300-050	2,64
65-100 mm	240-377-300-065	2,95
95-130 mm	240-377-300-095	3,07
125-160 mm	240-377-300-125	3,43
155-185 mm	240-377-300-155	3,55
185-215 mm	240-377-300-185	3,67
210-245 mm	240-377-300-210	4,40
240-275 mm	240-377-300-240	4,52
270-305 mm	240-377-300-270	4,88
300-330 mm	240-377-300-300	5,12
330-355 mm	240-377-300-330	5,36
210-380 mm	240-377-301-210	5,95



STANDARD - tabs 4x10 mm - with anti shock gum

25 mm	240-378-100-025	1,74
35 mm	240-378-100-035	1,74
35-50 mm	240-378-300-035	2,64
50-70 mm	240-378-300-050	2,64
65-100 mm	240-378-300-065	2,95
95-130 mm	240-378-300-095	3,07
125-160 mm	240-378-300-125	3,43
155-185 mm	240-378-300-155	3,55
185-215 mm	240-378-300-185	3,67
210-245 mm	240-378-300-210	4,40
240-275 mm	240-378-300-240	4,52
270-305 mm	240-378-300-270	4,88
300-330 mm	240-378-300-300	5,12
330-355 mm	240-378-300-330	5,36
210-380 mm	240-378-301-210	5,95



STANDARD - tabs 2,2x18 mm

25 mm	240-325-100-025	1,62
35 mm	240-325-100-035	1,62
35-50 mm	240-325-300-035	2,52
50-70 mm	240-325-300-050	2,52
65-100 mm	240-325-300-065	2,83
95-130 mm	240-325-300-095	2,95
125-160 mm	240-325-300-125	3,31
155-185 mm	240-325-300-155	3,43
185-215 mm	240-325-300-185	3,55
210-245 mm	240-325-300-210	4,29
240-275 mm	240-325-300-240	4,40
270-305 mm	240-325-300-270	4,76
300-330 mm	240-325-300-300	5,00
330-355 mm	240-325-300-330	5,24
210-380 mm	240-325-301-210	5,83



STANDARD - tabs 4x18 mm

25 mm	240-335-100-025	1,62
35 mm	240-335-100-035	1,62
35-50 mm	240-335-300-035	2,52
50-70 mm	240-335-300-050	2,52
65-100 mm	240-335-300-065	2,83
95-130 mm	240-335-300-095	2,95
125-160 mm	240-335-300-125	3,31
155-185 mm	240-335-300-155	3,43
185-215 mm	240-335-300-185	3,55
210-245 mm	240-335-300-210	4,29
240-275 mm	240-335-300-240	4,40
270-305 mm	240-335-300-270	4,76
300-330 mm	240-335-300-300	5,00
330-355 mm	240-335-300-330	5,24
210-380 mm	240-335-301-210	5,83



STANDARD - tabs 6x18 mm

25 mm	240-340-100-025	1,62
35 mm	240-340-100-035	1,62
35-50 mm	240-340-300-035	2,52
50-70 mm	240-340-300-050	2,52
65-100 mm	240-340-300-065	2,83
95-130 mm	240-340-300-095	2,95
125-160 mm	240-340-300-125	3,31
155-185 mm	240-340-300-155	3,43
185-215 mm	240-340-300-185	3,55
210-245 mm	240-340-300-210	4,29
240-275 mm	240-340-300-240	4,40
270-305 mm	240-340-300-270	4,76
300-330 mm	240-340-300-300	5,00
330-355 mm	240-340-300-330	5,24
210-380 mm	240-340-301-210	5,83



STANDARD - sideway

25 mm	240-375-100-025	1,62
35 mm	240-375-100-035	1,62
35-50 mm	240-375-300-035	2,52
50-70 mm	240-375-300-050	2,52
65-100 mm	240-375-300-065	2,83
95-130 mm	240-375-300-095	2,95
125-160 mm	240-375-300-125	3,31
155-185 mm	240-375-300-155	3,43
185-215 mm	240-375-300-185	3,55
210-245 mm	240-375-300-210	4,29
240-275 mm	240-375-300-240	4,40
270-305 mm	240-375-300-270	4,76
300-330 mm	240-375-300-300	5,00
330-355 mm	240-375-300-330	5,24
210-380 mm	240-375-301-210	5,83



STANDARD - universal

25 mm	240-385-100-025	1,62
35 mm	240-385-100-035	1,62
35-50 mm	240-385-300-035	2,52
50-70 mm	240-385-300-050	2,52
65-100 mm	240-385-300-065	2,83
95-130 mm	240-385-300-095	2,95
125-160 mm	240-385-300-125	3,31
155-185 mm	240-385-300-155	3,43
185-215 mm	240-385-300-185	3,55
210-245 mm	240-385-300-210	4,29
240-275 mm	240-385-300-240	4,40
270-305 mm	240-385-300-270	4,76
300-330 mm	240-385-300-300	5,00
330-355 mm	240-385-300-330	5,24
210-380 mm	240-385-301-210	5,83



STANDARD - joists 40-60 mm

25 mm	240-395-100-025	1,62
35 mm	240-395-100-035	1,62
35-50 mm	240-395-300-035	2,52
50-70 mm	240-395-300-050	2,52
65-100 mm	240-395-300-065	2,83
95-130 mm	240-395-300-095	2,95
125-160 mm	240-395-300-125	3,31
155-185 mm	240-395-300-155	3,43
185-215 mm	240-395-300-185	3,55
210-245 mm	240-395-300-210	4,29
240-275 mm	240-395-300-240	4,40
270-305 mm	240-395-300-270	4,76
300-330 mm	240-395-300-300	5,00
330-355 mm	240-395-300-330	5,24
210-380 mm	240-395-301-210	5,83



STANDARD - joists 90 mm

25 mm	240-397-100-025	1,62
35 mm	240-397-100-035	1,62
35-50 mm	240-397-300-035	2,52
50-70 mm	240-397-300-050	2,52
65-100 mm	240-397-300-065	2,83
95-130 mm	240-397-300-095	2,95
125-160 mm	240-397-300-125	3,31
155-185 mm	240-397-300-155	3,43
185-215 mm	240-397-300-185	3,55
210-245 mm	240-397-300-210	4,29
240-275 mm	240-397-300-240	4,40
270-305 mm	240-397-300-270	4,76
300-330 mm	240-397-300-300	5,00
330-355 mm	240-397-300-330	5,24
210-380 mm	240-397-301-210	5,83



STANDARD - joists up to 80 mm

25 mm	240-398-100-025	1,86
35 mm	240-398-100-035	1,86
35-50 mm	240-398-300-035	2,76
50-70 mm	240-398-300-050	2,76
65-100 mm	240-398-300-065	3,07
95-130 mm	240-398-300-095	3,19
125-160 mm	240-398-300-125	3,55
155-185 mm	240-398-300-155	3,67
185-215 mm	240-398-300-185	3,79
210-245 mm	240-398-300-210	4,52
240-275 mm	240-398-300-240	4,64
270-305 mm	240-398-300-270	5,00
300-330 mm	240-398-300-300	5,24
330-355 mm	240-398-300-330	5,48
210-380 mm	240-398-301-210	5,83



STANDARD - joist 30/50/70/90 mm

25 mm	240-399-100-025	1,98
35 mm	240-399-100-035	1,98
35-50 mm	240-399-300-035	2,88
50-70 mm	240-399-300-050	2,88
65-100 mm	240-399-300-065	3,19
95-130 mm	240-399-300-095	3,31
125-160 mm	240-399-300-125	3,67
155-185 mm	240-399-300-155	3,79
185-215 mm	240-399-300-185	3,90
210-245 mm	240-399-300-210	4,64
240-275 mm	240-399-300-240	4,76
270-305 mm	240-399-300-270	5,12
300-330 mm	240-399-300-300	5,36
330-355 mm	240-399-300-330	5,60
210-380 mm	240-399-301-210	5,83



STANDARD PLUS- universal

22-35 mm	i187.00	2,05
35-55 mm	i187.10	2,12
55-95 mm	i187.20	2,13
95-165 mm	i187.30	2,31
165-235 mm	i187.40	2,79
200-270 mm	i187.50	3,76
260-340 mm	i187.60	4,24
305-375 mm	i187.70	5,21
365-445 mm	i187.80	5,69
410-480 mm	i187.90	6,67
470-550 mm	i187.100	7,14



STANDARD PLUS - tabs 2x10 mm

22-35 mm	i187.02	2,05
35-55 mm	i187.12	2,12
55-95 mm	i187.22	2,13
95-165 mm	i187.32	2,31
165-235 mm	i187.42	2,79
200-270 mm	i187.52	3,76
260-340 mm	i187.62	4,24
305-375 mm	i187.72	5,21
365-445 mm	i187.82	5,69
410-480 mm	i187.92	6,67
470-550 mm	i187.102	7,14



STANDARD PLUS - tabs 4,4x10 mm

22-35 mm	i187.04	2,05
35-55 mm	i187.14	2,12
55-95 mm	i187.24	2,13
95-165 mm	i187.34	2,31
165-235 mm	i187.44	2,79
200-270 mm	i187.54	3,76
260-340 mm	i187.64	4,24
305-375 mm	i187.74	5,21
365-445 mm	i187.84	5,69
410-480 mm	i187.94	6,67
470-550 mm	i187.104	7,14



STANDARD PLUS - timber decking

22-35 mm	i187.0J	2,17
35-55 mm	i187.1J	2,24
55-95 mm	i187.2J	2,25
95-165 mm	i187.3J	2,43
165-235 mm	i187.4J	2,90
200-270 mm	i187.5J	3,88
260-340 mm	i187.6J	4,36
305-375 mm	i187.7J	5,33
365-445 mm	i187.8J	5,81
410-480 mm	i187.9J	6,79
470-550 mm	i187.10J	7,26



MINIBALANCE ADJUSTABLE SELFLEVELING - tabs 2,2x10 mm

25-40 mm	240-480-300-025	2,50
30-45 mm	240-480-300-026	2,86
35-50 mm	240-480-300-027	3,21



MINIBALANCE ADJUSTABLE SELFLEVELING - tabs 4x10 mm

25-40 mm	240-481-300-025	2,50
30-45 mm	240-481-300-026	2,86
35-50 mm	240-481-300-027	3,21



STANDARD BALANCE ADJUSTABLE SELFLEVELING - tabs 2,2x10 mm

47-62 mm	240-380-300-047	3,21
62-82 mm	240-380-300-062	3,21
77-112 mm	240-380-300-077	3,52
107-142 mm	240-380-300-107	3,64
137-172 mm	240-380-300-137	4,00
167-197 mm	240-380-300-167	4,12
197-227 mm	240-380-300-197	4,24
222-257 mm	240-380-300-222	4,98
252-287 mm	240-380-300-252	5,10
282-317 mm	240-380-300-282	5,45
312-342 mm	240-380-300-312	5,57
342-372 mm	240-380-300-342	5,69



STANDARD BALANCE ADJUSTABLE SELFLEVELING - tabs 4x10 mm

47-62 mm	240-381-300-047	3,21
62-82 mm	240-381-300-062	3,21
77-112 mm	240-381-300-077	3,52
107-142 mm	240-381-300-107	3,64
137-172 mm	240-381-300-137	4,00
167-197 mm	240-381-300-167	4,12
197-227 mm	240-381-300-197	4,24
222-257 mm	240-381-300-222	4,98
252-287 mm	240-381-300-252	5,10
282-317 mm	240-381-300-282	5,45
312-342 mm	240-381-300-312	5,57
342-372 mm	240-381-300-342	5,69



ADJUSTABLE SELFLEVELING - tabs 4x10 mm

40-56 mm	i185	2,98
50-70 mm	i185.1	3,21
70-110 mm	i185.2	3,93
110-160 mm	i185.3	4,64
150-210 mm	i185.4	5,71
200-300 mm	i185.41	7,86
300-400 mm	i185.42	10,00
400-500 mm	i185.43	12,14
500-600 mm	i185.44	14,29
600-700 mm	i185.45	16,43
700-800 mm	i185.46	18,57
800-900 mm	i185.47	20,71
900-1000 mm	i185.48	22,86




ADJUSTABLE SELFLEVELING - timber decking 20/100 mm

40-56 mm	i185J	3,21
50-70 mm	i185.1J	3,45
70-110 mm	i185.2J	4,17
110-160 mm	i185.3J	4,88
150-210 mm	i185.4J	5,95
200-300 mm	i185.41J	8,10
300-400 mm	i185.42J	10,24
400-500 mm	i185.43J	12,38


500-600 mm	i185.44J	14,52
600-700 mm	i185.45J	16,67
700-800 mm	i185.46J	18,81
800-900 mm	i185.47J	20,95
900-1000 mm	i185.48J	23,10



Wall clip	240-930-100-001	1,67
-----------	-----------------	------



Metal clip set	240-930-100-000	5,95
----------------	-----------------	------



Metal clip corner set	240-930-110-000	14,29
-----------------------	-----------------	-------



Adjustment key for standard adjustable support pedestals	240-500-900-001	2,12
--	-----------------	------



Slope corrector 1% for Standard adjustable support pedestals	240-500-700-001	1,14
Slope corrector 2% for Standard adjustable support pedestals	240-500-700-002	1,14
Slope corrector 3% for Standard adjustable support pedestals	240-500-700-003	1,14



Cross spacer - 3x10mm	240-005-010-003	0,17
Cross spacer - 4x10mm	240-005-010-004	0,17
Cross spacer - 5x10mm	240-005-010-005	0,18



Cross spacer - 3x19mm	240-010-020-003	0,18
Cross spacer - 4x19mm	240-010-020-004	0,18
Cross spacer - 5x19mm	240-010-020-005	0,19



Slab lifter for 40cm-50cm paving slabs	i190	28,33
--	------	-------



Slab lifter for 50cm-65cm paving slabs	240-920-030-065	61,90
--	-----------------	-------



Slab lifter for 50cm-120cm paving slabs

240-920-030-120

123,81